




ADEN 30 mm Gun

Mk4, Mk5 & Mk6



AMMUNITION 30 mm x 113 mm

HEI High explosive incendiary

HEIT High explosive incendiary tracer

AP Armour piercing

TP Target practice

TPT Target practice tracer

APT Armour piercing tracer

SPECIFICATIONS

Calibre: 30 mm x 113 mm

Total weight: 87 kgf

• Weight of gun + (130 rounds): 158 kgf

Overall length: 1,590 mm

Barrel length: 1,080 mm

Barrel weight: 12.25 kgf

• Rifling: progressive parabolic RH twist, 16 grooves

Rate of fire: 1,200 - 1,400 spm

• Muzzle velocity: 790 m/s

Recoil force: 31.4 kN max

22.4 KN mean

Cocking System: Pneumatic

Firing System: Electrical: 24 V DC / 115 V AC

Tel: +44 (0) 1344 636200 | Fax: +44 (0) 1344 636205 | Email: sales@aei-systems.com | Web: www.aei-systems.com



DESCRIPTION

The ADEN 30 mm gun is a gas operated, electrically primed, self loading revolver type cannon, that has continuously been improved since it's conception in the early 1950's.

The compact nature of this self-powered cannon makes it an attractive option for relatively simple on-aircraft installation, whether considered for an under slung pod, under fuselage blister or interior fuselage carriage.

Mounting of the gun is possible at any angle through 360 degrees on the longitudinal axis to suit specific aircraft installation requirements. Both left and right hand feed versions are available.

AEI Systems manufacture complete ADEN 30 mm guns, all support equipment and conducts proof and acceptance testing.

ASPEN, an uprated ADEN 30 mm Gun, offers increeaced rates of fire, reduced recoil force, lengthened barrel and muzzle brake.



Tel: +44 (0) 1344 636200 | Fax: +44 (0) 1344 636205 | Email: sales@aei-systems.com | Web: www.aei-systems.com

WWW.AEI-SYSTEMS.COM